

Python: module browser.gui_set_idle_font

browser.gui_set_idle_font

[index](#)

```
# The PCMDI Data Browser Set IDLE's Font - gui_set_idle_font module
#
#####
#
# Module:          gui_set_idle_font module
#
# Copyright:       "See file Legal.htm for copyright information."
#
# Authors:         PCMDI Software Team
#                  Lawrence Livermore National Laboratory:
#                  support@pcmdi.llnl.gov
#
# Description:     PCMDI Software System browser IDLE font control.
#
# Version:         4.0
#
#####
#
#-----
# NOTE: need to use version of Python that imports Tkinter and Pmw
#-----
```

Modules

<u>Numeric</u>	<u>cdtime</u>	<u>math</u>	<u>sys</u>
<u>Tkinter</u>	<u>gui support.gui color</u>	<u>os</u>	<u>vcs</u>
<u>cdms</u>	<u>browser.gui control</u>	<u>string</u>	

Classes

create

```
class create
```

```
#-----
#
# Start of Popup Dialog
#
#-----
# Idle Font Specification
#-----
```

Methods defined here:

`__init__(self, parent)`

`execute(self, parent, result)`

Data

Pmw = <Pmw.Pmw_1_2.lib.PmwLoader.PmwLoader instance>